

VOURLA





COMPANY

Established in 2018, Echa-Tech Fireplace Systems continues its activities.

You will obtain a product of excellent quality, produced with the help of know-how of Polish and Turkish contractors, in cooperation with the Turkish factory based in Urla, Izmir/ Turkey.

Focusing on providing complete solutions for different types of needs, our company blends the highest quality materials and components used in production with its experience and it produces environmentally friendly products with high efficiency and low CO emissions based on European standards.

International certificates such as CE, Eco Design, and Blm SchV are among our most valuable achievements since we have obtained them as a result of the production processes we carry out without sacrificing quality.

We closely follow all the technological and environmental developments in the world related to our sector and continue to carry out the necessary R&D studies meticulously.

As a result of our coordinated execution of all processes such as supply, production, and delivery, we make the quality of Echa-Tech accessible.



ADVANTAGES OF THE VOURLA

- They can be installed for 3 type chimney system C11,C31,C91
- Screen height is wider than many producer.
- Burners are 3D as you know not linear logs are very rich and looks very real and turns to red color when it burns.
- Meet the essential requirements as described in the Regulation(EU) 2016/426 relating to appliances burning gaseous fuels.

GAS CONTROL SYSTEM

In ECHA-TECH gas fireplaces VOURLA series products, gas control systems produced by the German Maxitrol company are used.



Ease of Use

For all Vourla series products, you can control them with the help of remote control without leaving your seat.

- Child Lock
- Programmed Mode
- Thermostat Mode
- Eco Mode
- Sleep Timer



VOURLA 80

VOURLA 80 L




	NG	LPG
Width (mm)	860	860
Height (mm)	1076	1076
Depth (mm)	505	505
Chimney (Ø)	100/150	100/150
Weight (kg)	130.62	130.62
Material	Steel	Steel
Rated Output (kW)	10	9
Heating Power Range (kW)	5 - 10	5 - 9
Efficiency (%)	88.70	88.70
Warranty (Year)	5	5




	NG	LPG
Width (mm)	925	925
Height (mm)	1076	1076
Depth (mm)	505	505
Chimney (Ø)	100/150	100
Weight (kg)	127.37	127.37
Material	Steel	Steel
Rated Output (kW)	10	9
Heating Power Range (kW)	5 - 10	5 - 9
Efficiency (%)	88.70	88.70
Warranty (Year)	5	5

Technical drawing



Technical drawing



Certificates



VOURLA 80 R

VOURLA 80 3V




	NG	LPG
Width (mm)	925	925
Height (mm)	1076	1076
Depth (mm)	505	505
Chimney (Ø)	100/150	100/150
Weight (kg)	127.37	127.37
Material	Steel	Steel
Rated Output (kW)	10	9
Heating Power Range (kW)	5 - 10	5 - 9
Efficiency (%)	88.70	88.70
Warranty (Year)	5	5




	NG	LPG
Width (mm)	990	990
Height (mm)	1076	1076
Depth (mm)	505	505
Chimney (Ø)	100/150	100
Weight (kg)	124.08	124.08
Material	Steel	Steel
Rated Output (kW)	10	9
Heating Power Range (kW)	5 - 10	5 - 9
Efficiency (%)	88.70	88.70
Warranty (Year)	5	5

Technical drawing



Technical drawing



Certificates



VOURLA 80 EPI




	NG	LPG
Width (mm)	1015	1015
Height (mm)	1186	1186
Depth (mm)	494	494
Chimney (Ø)	100/150	100/150
Weight (kg)	129.44	129.44
Material	Steel	Steel
Rated Output (kW)	10	9
Heating Power Range (kW)	5 - 10	5 - 9
Efficiency (%)	88.70	88.70
Warranty (Year)	5	5

VOURLA 80 T




	NG	LPG
Width (mm)	1000	1000
Height (mm)	1076	1076
Depth (mm)	494	494
Chimney (Ø)	100/150	100
Weight (kg)	137.7	137.7
Material	Steel	Steel
Rated Output (kW)	10	9
Heating Power Range (kW)	5 - 10	5 - 9
Efficiency (%)	88.70	88.70
Warranty (Year)	5	5

Technical drawing



Technical drawing



Certificates



VOURLA 100




	NG	LPG
Width (mm)	1060	1060
Height (mm)	976	976
Depth (mm)	505	505
Chimney (Ø)	100/150	100/150
Weight (kg)	141.94	141.94
Material	Steel	Steel
Rated Output (kW)	11	10
Heating Power Range (kW)	5.5 - 11	5.5 - 11
Efficiency (%)	83.30	83.30
Warranty (Year)	5	5

VOURLA 100 L




	NG	LPG
Width (mm)	1125	1125
Height (mm)	976	976
Depth (mm)	505	505
Chimney (Ø)	100/150	100
Weight (kg)	140.96	140.96
Material	Steel	Steel
Rated Output (kW)	11	10
Heating Power Range (kW)	5.5 - 11	5.5 - 11
Efficiency (%)	83.30	83.30
Warranty (Year)	5	5

Technical drawing



Technical drawing



Certificates



VOURLA 100 R




	NG	LPG
Width (mm)	1125	1125
Height (mm)	976	976
Depth (mm)	505	505
Chimney (Ø)	100/150	100/150
Weight (kg)	124.36	124.36
Material	Steel	Steel
Rated Output (kW)	11	10
Heating Power Range (kW)	5.5 - 11	5.5 - 11
Efficiency (%)	83.30	83.30
Warranty (Year)	5	5

VOURLA 100 3V




	NG	LPG
Width (mm)	1190	1190
Height (mm)	976	976
Depth (mm)	505	505
Chimney (Ø)	100/150	100
Weight (kg)	137.49	137.49
Material	Steel	Steel
Rated Output (kW)	11	10
Heating Power Range (kW)	5.5 - 11	5.5 - 11
Efficiency (%)	83.30	83.30
Warranty (Year)	5	5

Technical drawing



Technical drawing



Certificates



VOURLA 100 EPI

VOURLA 100 T




	NG	LPG
Width (mm)	1215	1215
Height (mm)	1086	1086
Depth (mm)	494	494
Chimney (Ø)	100/150	100/150
Weight (kg)	133.2	133.2
Material	Steel	Steel
Rated Output (kW)	11	10
Heating Power Range (kW)	5.5-11	5.5-10
Efficiency (%)	83.30	83.30
Warranty (Year)	5	5




	NG	LPG
Width (mm)	1200	1200
Height (mm)	976	976
Depth (mm)	494	494
Chimney (Ø)	100/150	100
Weight (kg)	145.4	145.4
Material	Steel	Steel
Rated Output (kW)	11	10
Heating Power Range (kW)	5.5 - 11	5.5 - 10
Efficiency (%)	83.30	83.30
Warranty (Year)	5	5

Technical drawing



Technical drawing



Certificates



VOURLA 140



	NG	LPG
Width (mm)	1460	1460
Height (mm)	1026	1026
Depth (mm)	505	505
Chimney (Ø)	130/200	130/200
Weight (kg)	130.62	130.62
Material	Steel	Steel
Rated Output (kW)	10	9
Heating Power Range (kW)	5 - 10	5 - 9
Efficiency (%)	88.70	88.70
Warranty (Year)	5	5



VOURLA 140 L



	NG	LPG
Width (mm)	1525	1525
Height (mm)	1026	1026
Depth (mm)	505	505
Chimney (Ø)	130/200	130/200
Weight (kg)	195.72	195.72
Material	Steel	Steel
Rated Output (kW)	15	15
Heating Power Range (kW)	10-15	10-15
Efficiency (%)	86.10	86.10
Warranty (Year)	5	5

Technical drawing

Technical drawing



Certificates



VOURLA 140 R




	NG	LPG
Width (mm)	1525	1525
Height (mm)	1026	1026
Depth (mm)	505	505
Chimney (Ø)	130/200	130/200
Weight (kg)	195.72	195.72
Material	Steel	Steel
Rated Output (kW)	15	15
Heating Power Range (kW)	10 - 15	10 - 15
Efficiency (%)	86.10	86.10
Warranty (Year)	5	5

VOURLA 140 3V




	NG	LPG
Width (mm)	1590	1590
Height (mm)	1026	1026
Depth (mm)	505	505
Chimney (Ø)	130/200	130/200
Weight (kg)	191.65	191.65
Material	Steel	Steel
Rated Output (kW)	15	15
Heating Power Range (kW)	10 - 15	10 - 15
Efficiency (%)	86.10	86.10
Warranty (Year)	5	5

Technical drawing



Technical drawing



Certificates



VOURLA 140 EPI




	NG	LPG
Width (mm)	1615	1615
Height (mm)	1136	1136
Depth (mm)	494	494
Chimney (Ø)	130/200	130/200
Weight (kg)	194.8	194.8
Material	Steel	Steel
Rated Output (kW)	15	15
Heating Power Range (kW)	10-15	10-15
Efficiency (%)	86.10	86.10
Warranty (Year)	5	5

VOURLA 140 T




	NG	LPG
Width (mm)	1600	1600
Height (mm)	1026	1026
Depth (mm)	494	494
Chimney (Ø)	130/200	130/200
Weight (kg)	200.2	200.2
Material	Steel	Steel
Rated Output (kW)	15	15
Heating Power Range (kW)	10 - 15	10 - 15
Efficiency (%)	86.10	86.10
Warranty (Year)	5	5

Technical drawing



Technical drawing



Certificates





ECHA - TECH

Factory

CALL US

+90 (232) 323 69 67

MAIL

info@echatech.com

LOCATION

İZMİR, TURKEY

Head Office

CALL US

+48 723 947 337

MAIL

export@echatech.com

LOCATION

WARSAW, POLAND